



**ICEMCRETE**<sup>®</sup>

Manufacturers of Diverse Decorative Coatings

# COLOUR HARDENER

DRY-SHAKE SCREED FLOOR FINISH

# COLOUR HARDENER

DRY-SHAKE SCREED FLOOR FINISH



Colour Hardener Mocha Java

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.



Colour Hardener Stone

A granolithic concrete material that is floated into fresh screed or concrete which colours, strengthens & creates durable surfaces for concrete floors. It is a special blend of cement incorporating very hard-wearing aggregates, light fast pigments & additives which set rock-hard.

SUITABLE SURFACES

New / fresh interior & exterior concrete or screed base.

FINISH

Steel trowel to a smooth finish. Can be textured, stamped or rolled to obtain different tiled or paved effects.

THICKNESS

Depending on screed design - colour penetrates 2 - 3mm into screed.

APPLICATION

Sprinkle-on & trowelled. Can be power floated as well.

CURING

Leave to air cure for 1 day after completion. Damp down with water twice daily for 7 days. Allow to dry for a minimum of 14 days before sealing.


PACKAGING

20kg bag.

COVERAGE

Approximately 5m<sup>2</sup> per 20kg bag.

WATCH  
THE VIDEO




COUNTERTOPS  
Colour Hardener House Blend



POOL COPINGS  
Colour Hardener White

BENEFITS


- Suitable for interior & exterior floors
- Suitable for domestic or commercial projects
- Colours concrete to a depth of 2 - 3mm (no risk of colour being rubbed off or abraded)
- Extremely durable (dependent on screed mix and curing)
- Can be used in conjunction with SuperScreed (10 - 20mm) where there are height restrictions
- Can be imprinted
- Can be power floated for large industrial applications




CUSTOM PANELS  
Colour Hardener Stone



IMPRINTING  
Colour Hardener Chai Latte



COLOUR HARDENER | COLOUR RANGE



White




Vanilla Bean



Stone




Cobble Milk




Cappuccino




Ochre




Ivory




Brown




Timber Brown



Mocha Java




Chai Latte



Espresso



Grey



House Blend



Slate



*Did you know*

Colour Hardener floors should be designed with expansion / control joints incorporated into them, which will minimize the risk of large unsightly cracks when subjected to large changes in temperature, soil or foundation movement etc. Panel sizes should be as symmetrical as is possible and should not exceed 9m<sup>2</sup>.

Colour Hardener Grey

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.

0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



## HEAD OFFICE

Showroom & Warehouse  
8 Telford Street  
Industria  
(011) 474 2415  
info@cemcrete.co.za

## GAUTENG

Johannesburg Showroom  
227 Jan Smuts Avenue  
Parktown North  
(011) 447 3149  
jsa@cemcrete.co.za

Centurion Showroom & Warehouse  
15 Coachmen's Park  
26 Jakaranda Street  
Centurion  
(012) 653 6808  
pretoria@cemcrete.co.za

## CAPE TOWN

Showroom & Warehouse  
Unit 3 Eagle Park  
cnr Bosmansdam & Omuramba Roads  
Montague Gardens  
(021) 555 1034  
cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

**CEMCRETE®**

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes  
as *unique* as you are.