



ICEMCRETE[®]

Manufacturers of Dispersive Decorative Coatings

ELASTOBOND

FLEXIBLE BONDING LIQUID

ELASTOBOND

FLEXIBLE BONDING LIQUID

ElastoBond is a liquid polymer to be mixed with cement based mixtures / matrices to create a tough, flexible, UV resistant waterproofing membrane.

SUITABLE SURFACES

Parapet walls (to create capping), as well as cantilevered areas (to waterproof). Light trafficked rooftops, walkways and decks. In these areas occasional foot traffic is permitted. Planter boxes, retaining walls & basements NOT subjected to rising damp. Bathrooms, shower recesses, laundries, & all wet areas requiring a tiled finish. Swimming pools & wading pools when covered with tiles or decorative toppings. Water containment areas such as water features, ponds & fountains. Roofs, walls & floors, over concrete, cement render, marine plywood, metal, pre-cleaned galvanized iron, fibre cement sheets & exterior grade plasterboard.

APPLICATION

Brush-on.

CURING

Usually within 24 - 36 hours, depending on humidity, ambient temperatures & surface porosity. The ElastoBond mixture dries by reaction between powder & liquid, moisture evaporation & absorption into the substrate, so allow longer for surfaces with low porosity.

Allow ElastoBond mixture to cure before subjecting the floor to light foot traffic (at least 24 hours).

Do not use showers for at least 72 hours after application of ElastoBond mixture; this ensures application is thoroughly cured.

PACKAGING

1, 5 & 20 litre containers.

COVERAGE

Coverage is approximately 10m² per 20 litres of ElastoBond mixed with 20kg MatCrete at 2 - 3mm cured film thickness. This is also dependant on the amount & type of membrane used in the application.

APPEARANCE / COLOUR(S)

White liquid which dries clear.



BENEFITS

- Applied by brush, ElastoBond & MatCrete mixture possesses excellent flexibility, crack bridging properties and UV resistance which allows it to be left exposed & subjected to light foot traffic.
- Excellent flexibility & crack bridging properties
- UV resistant

0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



HEAD OFFICE

Showroom & Warehouse
8 Telford Street
Industria
(011) 474 2415
info@cemcrete.co.za

GAUTENG

Johannesburg Showroom
227 Jan Smuts Avenue
Parktown North
(011) 447 3149
jsa@cemcrete.co.za

Centurion Showroom & Warehouse

15 Coachmen's Park
26 Jakaranda Street
Centurion
(012) 653 6808
pretoria@cemcrete.co.za

CAPE TOWN

Showroom & Warehouse
Unit 3 Eagle Park
cnr Bosmansdam & Omuramba Roads
Montague Gardens
(021) 555 1034
cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

CEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes
as *unique* as you are.