

# CEMCRETE®

Manufacturers of Distinctive Decorative Coatings



# RENOCRETE

VERSATILE SMOOTH / TEXTURED OVERLAY



### RenoCrete Cloud Grey - Smooth Application

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.

# RENOCRETE

## VERSATILE SMOOTH / TEXTURED OVERLAY



RenoCrete Driftwood - Knock-Down Application

A pre-coloured spray-on or trowel-on cement-based polymer modified two-part resurfacing system. RenoCrete beautifies existing concrete surfaces while achieving good compressive, tensile & flexural strength.

SUITABLE SURFACES

Interior & exterior concrete substrates (floors, pavements, walkways, driveways, pool surrounds & balconies).

FINISH

Sprayed-on / Trowelled-on / Knock-down.

THICKNESS

2 - 3mm.

APPLICATION

Spray-on with a hopper gun or steel trowel.

CURING


In hot dry conditions cure completed work by mist spraying with water 3 times the following day. In light commercial applications it is recommended to densify after 7 days using Cemcrete's Potassium Densifier, prior to sealing.

PACKAGING

20kg bag.

COVERAGE

Approximately 3 - 5m<sup>2</sup> per 20kg bag, depending on the finish, surface profile, thickness & nozzle settings.






POOL SURROUND  
RenoCrete Cloud Grey

BUILT-IN SEATING  
RenoCrete Mollusc



BENEFITS

- Beautifies existing concrete surfaces
- Achieves good compressive, tensile & flexural strength with abrasion resistance
- Suitable for redressing concrete; driveways, walkways, outside patios, pool surrounds & balconies
- Available in multiple finishes, from smooth trowelled to sprayed-on & knock-down
- Interior & exterior use
- UV stable




COUNTERTOP  
RenoCrete Oyster

STAIRCASE  
RenoCrete Pebble Black




RENOCRETE | COLOUR RANGE




Sea Foam




Cuttlefish




Oyster




Clam



Coastal Fog




Seal Grey




Barnacle




Cloud Grey




Kelp




Otter




Dirftwood



Deep Ocean



Coral



Pebble Black



Mollusc



RenoCrete Cloud Grey

Final colours for the spray and knock-down applications will vary from the smooth trowelled application. Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.

0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



### HEAD OFFICE

Showroom & Warehouse  
8 Telford Street  
Industria  
(011) 474 2415  
info@cemcrete.co.za

### GAUTENG

Johannesburg Showroom  
227 Jan Smuts Avenue  
Parktown North  
(011) 447 3149  
jsa@cemcrete.co.za

### Centurion Showroom & Warehouse

15 Coachmen's Park  
26 Jakaranda Street  
Centurion  
(012) 653 6808  
pretoria@cemcrete.co.za

### CAPE TOWN

Showroom & Warehouse  
Unit 3 Eagle Park  
cnr Bosmansdam & Omuramba Roads  
Montague Gardens  
(021) 555 1034  
cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

**CEMCRETE**<sup>®</sup>

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes  
as *unique* as you are.