

ICEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings



ARTISTIC PRODUCTS

A VARIETY OF PRODUCTS FOR CEMENT DIY CREATIONS

SCULPTCRETE

FIBRE CEMENT MIXTURES FOR ART PIECES

SCULPTCRETE | PRODUCT INFORMATION & BENEFITS



A scientifically formulated enhanced fibre-cement blend. Contains no hazardous materials and is suitable for interior or exterior use. Has superior workability and provides a smooth, weather resistant finish that can be carved when biscuit hard. Will allow very fine, detailed carving. Suitable for building up three dimensional details.

SUITABLE SURFACES

Used over wire or metal armature to create sculptures and large art pieces. Suitable for use as a base for mosaic, glass, etc.

APPLICATION

Pack-on, spray-on

CURING

Cure all completed work by damping with clean water 3 times during the day on the following day

It is a good idea to cover the article with plastic during this initial curing period. Fast drying will cause surface cracking

THICKNESS

Applied in layers of 20mm at a time

PACKAGING

20kg containers.

COVERAGE

20kg of SculptCrete will cover approximately 0.85m² when applied 20mm thick

APPEARANCE / COLOUR(S)

Grey powder.



YouTube

BENEFITS

- It will retain a shape even when very wet
- It will take extremely delicate carving and can be built up in layers
- Mosaics, pebbles etc can be laid into the surface
- It allows the artist plenty of time to carve because of its slow setting time

TEXCRETE

FIBRE-CEMENT CASTING MIX

TEXCRETE | PRODUCT INFORMATION & BENEFITS



A thixotropic, quick setting, enhanced fibre-cement blend. Mixed with a solution of FlexBond for the saturation and impregnation of CemForce to form a reinforced product that can be cast into latex or silicone moulds. Produces castings of about 4 to 8 mm in thickness.

SUITABLE SURFACES
Wood, rubber, latex, perspex or cardboard moulds.

APPLICATION
Pouring into mould.


CURING
First allow work to completely dry out before immersing or wetting down with water. The longer this second wetting is carried out, the better the strengths achieved.

THICKNESS
4-8mm.

PACKAGING
20kg bags.

COVERAGE
20kg of TexCrete will cover approximately 0.75m² when applied 5mm thick.

APPEARANCE / COLOUR(S)
Available in light colours like Ivory and Straw. TexCrete can be coloured in powder form with ColourCem Or CreteStain can be used to add colour to TexCrete once dry.



BENEFITS

- Moulding of lightweight small and large intricate castings where fine surface definition is required
- Can also be applied onto a layer of CemForce to create positive work, instead of casting into moulds

MOULD RUBBER LATEX

SYNTHETIC LATEX RUBBER



A synthetic latex rubber for detailed reproduction of objects of virtually any fine texture.

MOULD RUBBER LATEX | PRODUCT INFORMATION & BENEFITS

SUITABLE SURFACES

Concrete, wood, plastic etc.

APPLICATION

Brush-on

CURING

Allow to thoroughly dry before carefully peeling off substrate and dust with dry Cemcrete's Mould Rubber Thickener before use.

THICKNESS

Can build it up in layers to desired thickness

PACKAGING

1 & 5 litre containers

COVERAGE

Depends on the thickness of the mould being made

APPEARANCE / COLOUR(S)

Creamy colour once dry



Applying Mould Rubber Latex to tile to create mould

BENEFITS

- Picks up fine detail for intricate replications using Cemcrete's TexCrete when casting
- Final set product is resistant to water
- Ideal for flat mouldings

0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



HEAD OFFICE

Showroom & Warehouse
8 Telford Street
Industria
(011) 474 2415
info@cemcrete.co.za

GAUTENG

Johannesburg Showroom
227 Jan Smuts Avenue
Parktown North
(011) 447 3149
jsa@cemcrete.co.za

Centurion Showroom & Warehouse

15 Coachmen's Park
26 Jakaranda Street
Centurion
(012) 653 6808
pretoria@cemcrete.co.za

CAPE TOWN

Showroom & Warehouse
Unit 3 Eagle Park
cnr Bosmansdam & Omuramba Roads
Montague Gardens
(021) 555 1034
cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

CEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes
as *unique* as you are.