


CEMPLASTER | PRODUCT INFORMATION & COLOUR RANGE

CEMPLASTER COLOURED FIBRE-REINFORCED PLASTER



Provides a tough, mottled, coloured exterior or interior plaster onto conventional wood floated or scratch plaster that is UV resistant.

SUITABLE SURFACES

Conventional wood floated or scratch plaster wall

FINISH

Smooth when trowelled-on or can be imprinted, brushed, scratched, sponged or sandstone finished.

THICKNESS

4-5mm

APPLICATION

Trowel-on

CURING

All plaster work to be cured by wetting with clean water 3 times on the day following the day of application Always spray from bottom to top to avoid water run marks Allow to dry for at least 3 days before sealing.

PACKAGING

40kg bags

COVERAGE

Approximately 4-5m² per 40kg bag/
















BENEFITS

- Can be used for interior and exterior walls
- Can be imprinted with various textures
- Used to imitate off-shutter concrete look
 - Durable & wears well over time













info@cemcrete.co.za www.cemcrete.co.za











HEAD OFFICE

Showroom & Warehouse & Telford Street Industria (011) 474 2415 info@cemcrete.co.za

GAUTENG

Johannesburg Showroom

227 Jan Smuts Avenue Parktown North (011) 447 3149 jsa@cemcrete.co.za

Centurion Showroom & Warehouse

15 Coachmen's Park 26 Jakaranda Street Centurion (012) 653 6808 pretoria@cemcrete.co.za

CAPE TOWN

Showroom & Warehouse

Unit 3 Eagle Park cnr Bosmansdam & Omuramba Roads Montague Gardens (021) 555 1034 cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.



Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes s was you are.