

**ICEMCRETE**<sup>®</sup>

Manufacturers of Distinctive Decorative Coatings



# CRETECOTE

THIN SKIM-ON FLOOR COATING


# CRETECOTE

THIN SKIM-ON FLOOR COATING



CreteCote Nickel Grey

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.



CreteCote White

A coloured, thin film cement-based floor covering which is versatile & durable. It is a two coat system which produces a 1.6mm smooth decorative finish ideal for internal domestic renovations. Comes complete with powder & catalyst as a twin-pack.

**SUITABLE SURFACES**

Interior surfaces only. Wood or steel floated concrete floor slabs or screeds. New surfaces should be allowed to cure for at least 28 days. Tiles with the necessary preparation steps to ensure even suction & adhesion (refer to coating over tiles datasheet).

**FINISH**

Smooth.

**THICKNESS**

1.6mm (maximum 0.8mm per coat – 2 coat application).

**APPLICATION**

Sponge & trowel-on.

**CURING**


The completed work should be allowed to air cure for 48 hours before sealing. The moisture in the floor must be less than 5% prior to sealing.

**PACKAGING**

15kg twin-pack container.

**COVERAGE**

8 - 10 m<sup>2</sup> per 15kg container.



COUNTERTOP / VANITY  
CreteCote Nickel Grey

BUILT-IN SEATING  
CreteCote custom colour

**BENEFITS**

- Thin skim-on coating perfect for renovations
- Application with a steel trowel
- Versatile application – can be used to coat counters & vanities
- Reaches a compressive strength of 35MPa after 28 days (this is solely dependent on the substrate)



TILE INLAY  
CreteCote custom colour

SEAMLESS FLOOR & BATH  
CreteCote Nickel Grey






White



Sand Dollar



Grey



Dune



Coconut



Ivory



Mushroom




Tan



Brown Suede




Nickel Grey



Shale

*Did you know*

CreteCote is a micro coating and was created to provide the look and feel of concrete, but at a fraction of the cost and weight of real concrete.



CreteCote Shale

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.

0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



## HEAD OFFICE

Showroom & Warehouse  
8 Telford Street  
Industria  
(011) 474 2415  
info@cemcrete.co.za

## GAUTENG

Johannesburg Showroom  
227 Jan Smuts Avenue  
Parktown North  
(011) 447 3149  
jsa@cemcrete.co.za

## Centurion Showroom & Warehouse

15 Coachmen's Park  
26 Jakaranda Street  
Centurion  
(012) 653 6808  
pretoria@cemcrete.co.za

## CAPE TOWN

Showroom & Warehouse  
Unit 3 Eagle Park  
cnr Bosmansdam & Omuramba Roads  
Montague Gardens  
(021) 555 1034  
cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

**CEMCRETE**<sup>®</sup>

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes  
as *unique* as you are.