

ICEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings



CRETECOTE

MICROCEMENT WALL & FLOOR COATING


CRETECOTE

MICROCEMENT WALL & FLOOR COATING



CreteCote Shale

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.



CreteCote Dune

A pigmented, thin film cement-based coating which is versatile and durable. It is a two coat system which produces a 1.6mm smooth decorative finish suitable for application onto wood or steel floated concrete floor slabs and screeds, ceilings and plastered or previously painted walls. For interior and exterior walls, and interior floors only.

SUITABLE SURFACES

Interior & exterior walls as well as interior floors.
New surfaces should be allowed to cure for at least 28 days.

Tiles - with the necessary preparation steps to ensure even suction & adhesion (contact our technical team for further details).

FINISH
Smooth.

THICKNESS
Minimum 1.6mm (Maximum 0.8mm per coat - 2 coat application).

APPLICATION
Sponge & trowel-on.

CURING
The completed work should be allowed to air cure for 48 hours before sealing. The moisture in the floor must be less than 5% prior to sealing.

PACKAGING

CreteCote Powder (Part 1) 10kg paper bag.
CreteCote Catalyst (Part 2) 5L container.
CreteCote also available as a 15kg twin-pack drum.

COVERAGE
8 - 10 m² per 10kg powder and 5L liquid combined.

**WATCH
THE VIDEO**



COUNTERTOP / VANITY
CreteCote Nickel Grey




BUILT-IN SEATING
CreteCote Custom Colour

BENEFITS

- Suitable for interior & exterior walls and interior floors only
- Thin skim-on coating perfect for renovations
- Can be applied over tiles provided that the correct application is followed (limited to types of tiles that can be overcoated)
- Versatile application - can be used for walls, ceilings, interior floors, counters & vanities
- Interesting colour variation





SEAMLESS WALL AND CEILING
CreteCote Sand Dollar












SEAMLESS FLOOR & BATH
CreteCote Nickel Grey



CRETECOTE | COLOUR RANGE



* standard floor sealer
** standard wall sealer



Did you know

CreteCote is an extremely versatile micro coating that can be used to create a seamless finish for your interior walls, floors and ceilings?

CreteCote Nickel Grey

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.

0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



HEAD OFFICE

Showroom & Warehouse
8 Telford Street
Industria
(011) 474 2415
info@cemcrete.co.za

GAUTENG

Johannesburg Showroom
227 Jan Smuts Avenue
Parktown North
(011) 447 3149
jsa@cemcrete.co.za

Centurion Showroom & Warehouse

15 Coachmen's Park
26 Jakaranda Street
Centurion
(012) 653 6808
pretoria@cemcrete.co.za

CAPE TOWN

Showroom & Warehouse
Unit 3 Eagle Park
cnr Bosmansdam & Omuramba Roads
Montague Gardens
(021) 555 1034
cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

CEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes
as *unique* as you are.