


# MATCRETE

# REINFORCED WATERPROOFING CEMENT LINING



Waterproof cement lining that can be applied directly onto hard compacted soil for the cost-effective creation of any water-containing structures such as fish ponds, water channels, dams, drinking troughs, relining of pipes, repair of old cracked reservoirs, flat roof waterproofing, parapet waterproofing etc.

#### SUITABLE SURFACES

Applied directly onto hard compacted soil, cement or concrete based water channels, dams, drinking troughs, reservoirs, flat roofs, parapets etc.

#### **FINISH**

Rough textured. Can be smooth trowelled.

#### THICKNESS

2mm including the CemForce. Max thickness of 8mm – add a layer of CemForce for every extra 2mm.

# APPLICATION

Brush-on.

#### **CURING**

Allow finished work to air cure for 3 days before filling with water.

# PACKAGING


40kg bags.

# COVERAGE

Approximately 6m<sup>2</sup> per 40kg bag.








#### **BENEFITS**

- Thin cement linings can be formed in-situ
- Can be reinforced with as many layers of CemForce as necessary for strength required
  - Ready to use with the addition of FlexBond solution only
    - Not only waterproof, but vapour proof as well
      - Fish and plant friendly
  - Cost-effective creation of water-containing structures
    - Can be applied directly onto hard compacted soil





0860 CEMCRETE

info@cemcrete.co.za www.cemcrete.co.za

f



P ir



## **HEAD OFFICE**

Showroom & Warehouse & Telford Street Industria (011) 474 2415 info@cemcrete.co.za

# **GAUTENG**

## Johannesburg Showroom

227 Jan Smuts Avenue Parktown North (011) 447 3149 jsa@cemcrete.co.za

#### Centurion Showroom & Warehouse

15 Coachmen's Park 26 Jakaranda Street Centurion (012) 653 6808 pretoria@cemcrete.co.za

# **CAPE TOWN**

#### Showroom & Warehouse

Unit 3 Eagle Park cnr Bosmansdam & Omuramba Roads Montague Gardens (021) 555 1034 cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

