


**ICEMCRETE®**

Manufacturers of Distinctive Decorative Coatings




# PERMASTOP

CRYSTALLINE WATERPROOFING TREATMENT

# PERMASTOP

## CRYSTALLINE WATERPROOFING TREATMENT



A cement-based mixture containing chemicals which combine with the water in cement & migrate into the concrete or cement plaster thereby effectively waterproofing the structure against hydrostatic pressure. For slurry coatings & plugging holes. For solving most types of waterproofing problems in below-ground & water-containing structures that contain OPC.

**SUITABLE SURFACES**  
Must be in contact with the cement / concrete to be effective.

**FINISH**  
Brushed finish unless plaster is applied over it.

**APPLICATION**  
Brush-on.

**CURING**  
In hot dry conditions cure completed work by dampening with clean water three times during the day following the day of application. Protect against freezing for 24 hours. Protect from direct sun and wind by covering with plastic or wet hessian for 24 hours.

**PACKAGING**  
1, 5 & 25kg containers.

**COVERAGE**  
Brush application: Approximately 1,3m<sup>2</sup> / kg / coat depending upon suction and texture of surface.


Joint filling: Depends on size of joint.

With polypropylene membrane:  
Approximately 3kg / m<sup>2</sup>.

**APPEARANCE / COLOUR(S)**  
Grey - can supply white upon request.




Waterproofing cellars & rising damp




■ Water-repellent cement in plaster  
■ PermaStop  
■ Polypropylene Membrane

Waterproofing sewers, fish ponds & reservoirs



Waterproofing flowerboxes



### BENEFITS

- Resists extreme hydrostatic pressure from both the positive & negative side of the substrate
- Resistant to aggressive chemicals i.e. oil, salt water, alkalis, certain chemicals, weak acids & aggressive sulphate soils
- Self-mending when punctured or torn & is not subject to deterioration, it is therefore permanent
- Does not require protection when backfilling
- Can be applied to moist surfaces
- Can seal static hairline cracks
- Increases the strength of concrete by up to 30% dependant on quality of original concrete
- Waterproof but not vapour proof
- No VOC's
- Can seal gushing leaks in conjunction with Cemcrete's PermaStop Accelerator

**0860CEMCRETE**

[info@cemcrete.co.za](mailto:info@cemcrete.co.za)

[www.cemcrete.co.za](http://www.cemcrete.co.za)



#### HEAD OFFICE

Showroom & Warehouse  
8 Telford Street  
Industria  
(011) 474 2415  
[info@cemcrete.co.za](mailto:info@cemcrete.co.za)

#### GAUTENG

Johannesburg Showroom  
227 Jan Smuts Avenue  
Parktown North  
(011) 447 3149  
[jsa@cemcrete.co.za](mailto:jsa@cemcrete.co.za)

#### Centurion Showroom & Warehouse

15 Coachmen's Park  
26 Jakaranda Street  
Centurion  
(012) 653 6808  
[pretoria@cemcrete.co.za](mailto:pretoria@cemcrete.co.za)

#### CAPE TOWN

Showroom & Warehouse  
Unit 3 Eagle Park  
cnr Bosmansdam & Omuramba Roads  
Montague Gardens  
(021) 555 1034  
[cape@cemcrete.co.za](mailto:cape@cemcrete.co.za)

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

**CEMCRETE®**

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes  
as *unique* as you are.