

# POOL PRODUCTS

---

Finishes - PoolCrete, Pool Coating, BeadCrete & Pool Repair Products

Creating distinctive cement finishes  
as *unique* as you are.

**ICEMCRETE**<sup>®</sup>

Manufacturers of Distinctive Decorative Coatings

# POOLCRETE

## White & coloured marble pool plaster

A 6mm thick smooth plaster, recommended for the interior plastering of walls and floors of swimming pools, which becomes a very hard integral part of the pool structure.

Not for use above the water level.



### Benefits

- Durable marble pool plaster
- Applied to new or renovated pools
- Trowel-on application
- Over 40 years proven performance
- Extensive colour range
- Superior quality

### Specifications

|                   |  |
|-------------------|--|
| Suitable Surfaces | Gunite<br>Hand-packed concrete<br>Scratch-coat cement plaster<br>Must not contain blast furnace slag as this could cause mottling of the PoolCrete   |
| Finish            | Smooth surface   |
| Thickness         | 6mm  |
| Application       | Rounded Pool Trowel  |
| Packaging         | 40kg bag   |
| Coverage          | Approximately 2m <sup>2</sup> per 40kg bag   |
| Curing            | Commence filling the pool from the deep end on the day of application. Damp down exposed PoolCrete every hour to prevent premature drying.<br>Filling of pool - See PoolCrete Start-Up Guide |
| Colour/s          | Available in 14 colours  |

### Intended for use with

|                  |   |
|------------------|---|
| PoolCrete Primer | 20kg bags - 1m <sup>2</sup> per kg mixed slurry   |
| FlexBond         | 1, 5 & 20 litre plastic drums<br>Dilute with water 1:4 to add to PoolCrete Primer to make a slush |

### Tools needed

Rounded Pool Trowel

### Supporting Cemcrete Products

|                   |   |
|-------------------|---|
| Pool Crack Filler | Fibre-reinforced flexible paste crack filler  |
| Pool Sealer       | Liquid sealer for treating leaking pools      |
| Pool Patching     | Underwater patching of holes in plaster pools |

## Did you know

PoolCrete is our brand name for pool plaster, also known as marbelite, which are generic names of the same product.

PoolCrete is one of the first products manufactured by Cemcrete upon its inception in 1973 and has been used in more than 250 000 swimming pools all over the world.

PoolCrete Silver Grey

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.

PoolCrete Colour Range



Superior White



White



Silver Grey



Portland



Sandstone



Sky Blue




Pacific Blue



Sea Glass



Turquoise



Abbotsford Green



Marine Blue



Moroccan Blue



Ocean Blue



Charcoal




*Did you know*


The colour appearance of PoolCrete will change once water is added to the pool - the depth of water and exposure to sunlight will further effect the appearance of the PoolCrete colour.

PoolCrete Abbotsford Green

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.



PoolCrete White



PoolCrete Portland

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.



PoolCrete Silver Grey

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.




PoolCrete Sandstone

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.



PoolCrete Pacific Blue



PoolCrete Sky Blue



PoolCrete Turquoise


The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.



PoolCrete Marine Blue



PoolCrete Moroccan Blue




PoolCrete Charcoal

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.



PoolCrete Abbotsford Green



PoolCrete Ocean Blue

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.


# POOL COATING

## Brush-on cement-based pool paint


A cement-based coating which can be applied easily and quickly using a paint brush. Pool Coating is intended to revitalise your old, pitted, dirty pool plaster as an alternative to re-plastering. It must be noted that Pool Coating is a once-off application.

Pool Coating Blue

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.



White



Sandstone



Blue



Turquoise



Green



Charcoal



### Benefits

- Application with a brush and/or roller
- Economical & easy to apply
- Fresh finish to old surfaces
- Excellent bond, flexural and tensile strength
- Good abrasion and chemical resistance
- Becomes an integral part of the pool plaster

### Specifications

|                   |  |
|-------------------|--|
| Suitable Surfaces | Old, dirty pool plaster that has been acid-washed.<br>Not for application to oil paint, plastic paint, new cement surfaces, fibreglass or new pool plaster.  |
| Finish            | Smooth - slight brush/roller texture   |
| Thickness         | 1.5mm  |
| Application       | Brush and/or roller  |
| Packaging         | 15kg twin pack   |
| Coverage          | Approximately 25m <sup>2</sup> per 15kg twin pack  |
| Curing            | The completed work should be air cured for 6 days before filling the pool with water. Any rain water that does fall during this period should be immediately removed from the pool. Allow an extra day's air curing for each day of rain during the six day curing period. Filling of pool - See Pool Coating Start-Up Guide |
| Colour/s          | Available in 6 colours   |

Intended for use with  
None

Tools needed  
Block brush  
Wire-brush  
Brush and/or roller

### Supporting Cemcrete Products

|                   |  |
|-------------------|--|
| Pool Crack Filler | Fibre-reinforced flexible paste crack filler   |
| Pool Sealer       | Liquid sealer for treating leaking pools   |
| Pool Patching     | Underwater patching of holes in plaster pools  |
| FlexBond          | In warm/humid weather the product tends to thicken in the drum which reduces the coverage achieved. To alleviate this problem, dilute FlexBond (dilute 1:4 with clean water) and add 100ml at a time to keep the mixed product to a paintable consistency. |

# BEADCRETE

## Unique pool plaster containing glass beads

A unique glass beaded decorative pool plaster for use on reinforced concrete pool interiors. The pure glass beads in BeadCrete produce a reflective surface that enhances water sparkle.



### Benefits

- Cost competitive replacement for traditional exposed pebble finishes
- Modern – white and coloured surface aesthetic with coloured beads and reflective additives that enhance pool water appearance
- Strong & durable
- Smooth textured finish reduces risk of skin abrasion and gently massages under the feet
- Easily placed and finished by competent tradespersons
- Suitable for new concrete pools & renovations

### Specifications

|                   |  |
|-------------------|--|
| Suitable Surfaces | New or renovated reinforced concrete pool interiors  |
| Finish            | Smooth surface   |
| Thickness         | 8mm  |
| Application       | Steel trowel   |
| Packaging         | 20kg bag   |
| Coverage          | Approximately 0.9m <sup>2</sup> per 20kg bag   |
| Curing            | Commence filling the pool from the deep end on the day of application. Damp down exposed BeadCrete every hour to prevent premature drying.<br>Filling of pool - See BeadCrete Start-Up Guide |
| Colour/s          | Available in 5 colours   |

### Intended for use with

|                              |  |
|------------------------------|--|
| PoolCrete Primer<br>FlexBond | 20kg bags - 1m <sup>2</sup> per kg mixed slurry<br>1, 5 & 20 litre plastic drums<br>Dilute with water 1:4 to add to PoolCrete Primer to make a slush |
|------------------------------|--|

### Tools needed

Block brush  
Wire-brush  
Brush and/or roller  
Steel trowel  
Sponge float  
High pressure washer


### Supporting Cemcrete Products

|                   |   |
|-------------------|---|
| Pool Crack Filler | Fibre-reinforced flexible paste crack filler  |
| Pool Sealer       | Liquid sealer for treating leaking pools      |
| Pool Patching     | Underwater patching of holes in plaster pools |


BeadCrete Le Meridian Flash

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.


BeadCrete Colour Range




Maldives Flash



Maldives




Le Meridian Flash



Le Meridian




Bora Bora



BeadCrete Maldives Flash

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.



*Did you know*

The colour appearance of BeadCrete will change once water is added to the pool - the depth of water and exposure to sunlight will further effect the appearance of the BeadCrete colour.

BeadCrete Maldives Flash

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.



## POOL PATCHING

Underwater patching of holes in plaster pools

A quick-setting compound having a base of white cement and white marble, specially formulated to enable it to be taken underwater without disintegrating, and later becomes rock hard.

### Benefits

- To enable the underwater patching of small holes in marble pool plaster pools
- Setting time of 5 minutes

### Specifications

|                   |  |
|-------------------|--|
| Suitable Surfaces | Plaster pools  |
| Finish            | Smooth   |
| Thickness         | N/A  |
| Application       | Small rounded trowel   |
| Packaging         | 1 & 5kg plastic drums  |
| Coverage          | 200 x 200mm requires 1kg or 1.5m <sup>2</sup> per 40kg                   |
| Curing            | Normal setting time approximately 5minutes - do not disturb for 24 hours |
| Colour/s          | Available in white only - PoolCrete colours available on order           |

## POOL SEALER

Liquid sealer for treating leaking pools

An inexpensive sealer for treating leaking pools where seepage is through general porosity or thinness of the plaster.

### Benefits

- Inexpensive sealer
- No need to empty your pool

### Specifications


|                   |  |
|-------------------|--|
| Suitable Surfaces | Leaking pools where seepage is through general porosity or thinness of the plaster |
| Finish            | N/A  |
| Thickness         | N/A  |
| Application       | Add to water of pool   |
| Packaging         | 5 & 25L drums  |
| Coverage          | 25 litres/75 000 litre pool  |
| Curing            | 10 days to see if treatment is effective   |
| Colour/s          | N/A  |



## POOL CRACK FILLER

Fibre-reinforced flexible paste crack filler

A heavily fibre-reinforced flexible paste which, after being allowed to dry, remains flexible under water. Requires the pool to be emptied and all cracks to be hacked open.



### Benefits

- To provide a knifing grade filler for cracks in water containing structures
- Remains flexible under water
- Supplied in paste form
- Pool Crack Filler is elastomeric (Polymer that displays rubberlike elasticity) which is helpful in structures that show movement
- Cement-based coatings and marble pool plaster bond well to Pool Crack Filler
- Can be used as a crack filler for floors and walls

### Specifications

|                   |   |
|-------------------|---|
| Suitable Surfaces | Concrete or gunite pools. Will not adhere to fibreglass or plastic.   |
| Finish            | N/A   |
| Thickness         | Remove marble pool plaster 75 mm each side of crack through to concrete. V out crack in the concrete 10 mm deep and 10 mm wide. |
| Application       | Knife   |
| Packaging         | 1 & 5L drums  |
| Coverage          | Depends on the width and depth of joint. Average 5m <sup>2</sup> per kg.  |
| Curing            | Allow filler to air cure for two days   |
| Colour/s          | Available in grey only  |

### Intended for use with

|                          |   |
|--------------------------|---|
| Pool Crack Filler Primer | 20kg bags - 1m <sup>2</sup> per kg mixed slurry   |
| PoolCrete                | 40kg bags - Approximately 2m <sup>2</sup> per bag |

**0860 CEMCRETE**

**info@cemcrete.co.za**

**www.cemcrete.co.za**



**blog.cemcrete.co.za**

## HEAD OFFICE

---

### Showroom & Warehouse

8 Telford Street

Industria

(011) 474 2415

info@cemcrete.co.za

## GAUTENG

---

### Johannesburg Showroom

227 Jan Smuts Avenue

Parktown North

(011) 447 3149

jsa@cemcrete.co.za

### Centurion Showroom & Warehouse

15 Coachmen's Park

26 Jakaranda Street

Centurion

(012) 653 6808

pretoria@cemcrete.co.za

## CAPE TOWN

---

### Showroom & Warehouse

Unit 3 Eagle Park

cnr Bosmansdam & Omuramba Roads

Montague Gardens

(021) 555 1034

cape@cemcrete.co.za

We have distributors nationally, in most African countries and internationally. Contact us to locate your nearest stockist or contractor.

**CEMCRETE®**

Manufacturers of Distinctive Decorative Coatings

On the cover:  
PoolCrete Silver Grey

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Depth of water and exposure to sunlight might also affect the final colour.