

**ICEMCRETE**<sup>®</sup>

Manufacturers of Distinctive Decorative Coatings



# POOL REPAIR PRODUCTS

POOL PATCHING, POOL SEALER & POOL CRACK FILLER

# POOL PATCHING

## UNDERWATER PATCHING FOR PLASTER POOLS

A quick-setting compound having a base of white cement and white marble, specially formulated to enable it to be taken underwater without disintegrating and later becomes rock hard.

**APPLICATION**  
Small rounded trowel.

**CURING**  
Approximately 5 minutes - do not disturb for 24 hours.

**PACKAGING**  
1kg & 5kg containers.

**COVERAGE**  
200mm x 200mm requires 1kg or 1.5m<sup>2</sup>/40kg.

**APPEARANCE / COLOUR(S)**  
Available in white only.  
PoolCrete colours available on order.



# POOL SEALER

## LIQUID SEALER FOR TREATING PLASTER POOL LEAKS

An inexpensive sealer for treating leaking pools where seepage is through general porosity or thinness of the plaster. It will not seal plumbing leaks or structural cracks.

**APPLICATION**  
Add to water of pool.

**CURING**  
10 days to see if treatment is effective.

**PACKAGING**  
5 & 20 litre containers.

**COVERAGE**  
5 litres / 15 000 litre pool.  
20 litres / 60 000 litre pool.

**APPEARANCE / COLOUR(S)**  
Clear liquid.



### BENEFITS

- Treat leaking pools where seepage is caused by general porosity and fine hairline cracks, without removing the water
- Seals hairline cracks in grout lines on tiled balconies to prevent moisture ingress
- Can be used in conjunction with sanding to revitalize old dirty pool plaster

# POOL CRACK FILLER

## FIBRE-REINFORCED FLEXIBLE PASTE CRACK FILLER

A heavily fibre-reinforced flexible paste which, after being allowed to dry, remains flexible under water. Requires the pool to be emptied and all cracks to be hacked open.

**PURPOSE**  
Concrete or gunite pools, will not adhere to fibre glass or plastic.

**APPLICATION**  
Knife.


**THICKNESS**  
Remove marble pool plaster 75mm each side of crack through to concrete. V out crack in the concrete 10mm deep and 10mm wide.

**CURING**  
Allow filler to air cure for 2 days.

**PACKAGING**  
1 & 5kg containers.

**COVERAGE**  
Depends on the width and depth of the joint.  
6.6 linear meters per 1kg & 33 linear meters per 5kg.

**APPEARANCE / COLOUR(S)**  
Available in grey only.



### BENEFITS

- To provide a knifing grade filler for cracks in water containing structures
- Remains flexible under water
- Supplied in paste form
- Pool Crack Filler is elastomeric (polymer that displays rubberlike elasticity) which is helpful in structures that show movement
- Cement-based coatings and marble pool plaster bond well to Pool Crack Filler
- Can be used as a crack filler for floors and walls

0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



## HEAD OFFICE

Showroom & Warehouse  
8 Telford Street  
Industria  
(011) 474 2415  
info@cemcrete.co.za

## GAUTENG

Johannesburg Showroom  
227 Jan Smuts Avenue  
Parktown North  
(011) 447 3149  
jsa@cemcrete.co.za

## Centurion Showroom & Warehouse

15 Coachmen's Park  
26 Jakaranda Street  
Centurion  
(012) 653 6808  
pretoria@cemcrete.co.za

## CAPE TOWN

Showroom & Warehouse  
Unit 3 Eagle Park  
cnr Bosmansdam & Omuramba Roads  
Montague Gardens  
(021) 555 1034  
cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

**CEMCRETE**<sup>®</sup>

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes  
as *unique* as you are.