

ICEMENTRETE[®]

Manufacturers of Distinctive Decorative Coatings



POOL REPAIR PRODUCTS

POOL PATCHING, POOL SEALER & POOL CRACK FILLER

01. POOL PATCHING

UNDERWATER PATCHING FOR PLASTER POOLS

A quick-setting compound having a base of white cement and white marble, specially formulated to enable it to be taken underwater without disintegrating and later becomes rock hard.

SUITABLE SURFACES
Plaster pools.


APPLICATION
Small rounded trowel.

CURING
Normal setting time approximately 5 minutes - do not disturb for 24 hours.

PACKAGING
1kg & 5kg containers.

COVERAGE
200mm x 200mm requires 1kg or 1.5m²/40kg.

APPEARANCE / COLOUR(S)
Available in white only.
PoolCrete colours available on order.



02. POOL SEALER

LIQUID SEALER FOR TREATING POOL LEAKS

An inexpensive sealer for treating leaking pools where seepage is through general porosity or thinness of the plaster. It will not seal plumbing leaks or structural cracks.

SUITABLE SURFACES
Leaking pools where seepage is through general porosity or thinness of the plaster.

APPLICATION
Add to water of pool.

CURING
10 days to see if treatment is effective.

PACKAGING
5 & 20 litre containers.

COVERAGE
5 litres / 15 000 litre pool.
20 litres / 60 000 litre pool.

APPEARANCE / COLOUR(S)
Clear liquid.

03. POOL CRACK FILLER

FIBRE-REINFORCED FLEXIBLE PAST CRACK FILLER

A heavily fibre-reinforced flexible paste which, after being allowed to dry, remains flexible under water. Requires the pool to be emptied and all cracks to be hacked open.

PURPOSE
Concrete or gunite pools, will not adhere to fibre glass or plastic.

APPLICATION
Knife.


THICKNESS
Remove marble pool plaster 75mm each side of crack through to concrete. V out crack in the concrete 10mm deep and 10mm wide.

CURING
Allow filler to air cure for 2 days.

PACKAGING
1 & 5kg containers.

COVERAGE
Depends on the width and depth of the joint.
6.6 linear meters per 1kg & 33 linear meters per 5kg.

APPEARANCE / COLOUR(S)
Available in grey only.



BENEFITS

- To provide a knifing grade filler for cracks in water containing structures
- Remains flexible under water
- Supplied in paste form
- Pool Crack Filler is elastomeric (polymer that displays rubberlike elasticity) which is helpful in structures that show movement
- Cement-based coatings and marble pool plaster bond well to Pool Crack Filler
- Can be used as a crack filler for floors and walls

0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



HEAD OFFICE

Showroom & Warehouse
8 Telford Street
Industria
(011) 474 2415
info@cemcrete.co.za

GAUTENG

Johannesburg Showroom
227 Jan Smuts Avenue
Parktown North
(011) 447 3149
jsa@cemcrete.co.za

Centurion Showroom & Warehouse

15 Coachmen's Park
26 Jakaranda Street
Centurion
(012) 653 6808
pretoria@cemcrete.co.za

CAPE TOWN

Showroom & Warehouse
Unit 3 Eagle Park
cnr Bosmansdam & Omuramba Roads
Montague Gardens
(021) 555 1034
cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

CEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes
as *unique* as you are.