

A vertical crack in a concrete wall. A cross-section of the wall is shown, revealing the internal structure. A repair patch is visible, showing a white outer layer and a darker, textured inner layer. The crack is filled with a dark, textured material. The background is a light-colored, textured concrete wall.

ICEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings

EXTERIOR CRACK FILLER

TOUGH WATERPROOF CRACK FILLER

EXTERIOR CRACK FILLER

TOUGH WATERPROOF CRACK FILLER

A very tough waterproof filler based on special thermoplastic resins & fillers. Softens slightly with increase in temperature, thereby relaxing the tension in the crack.

SUITABLE SURFACES

Fills cracks, gaps around doors, window frames, light switches, knot holes, wood grain, nail holes etc. Adheres to cement plaster, gypsum plaster & timber.

APPLICATION

Trowel-on.

CURING

12 hours.

THICKNESS

1 - 10mm.

PACKAGING

1.5 & 7.5kg containers.

COVERAGE

Depends on width & depth of joint. Average 5m² per kg.

APPEARANCE / COLOUR(S)

White.



01. Surfaces to be filled must be clean, hard and dry.
02. Fill cracks and holes using a paint scraper, putty knife or trowel.
03. Allow to dry and harden for two hours & sandpaper level.

0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



HEAD OFFICE

Showroom & Warehouse
8 Telford Street
Industria
(011) 474 2415
info@cemcrete.co.za

GAUTENG

Johannesburg Showroom
227 Jan Smuts Avenue
Parktown North
(011) 447 3149
jsa@cemcrete.co.za

Centurion Showroom & Warehouse

15 Coachmen's Park
26 Jakaranda Street
Centurion
(012) 653 6808
pretoria@cemcrete.co.za

CAPE TOWN

Showroom & Warehouse
Unit 3 Eagle Park
cnr Bosmansdam & Omuramba Roads
Montague Gardens
(021) 555 1034
cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

CEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes
as *unique* as you are.