



**ICEMCRETE**<sup>®</sup>

Manufacturers of Distinctive Decorative Coatings

# PRIMERCOTE

TOUGH ADHESIVE FOR NEW SCREEDS

# PRIMERCOTE

## TOUGH ADHESIVE FOR NEW SCREEDS

Specially designed textured substrate coating used in combination with Cemcrete's FlexBond to bond new screeds to existing surfaces.

### SUITABLE SURFACES

Interior & exterior concrete surfaces.

### APPLICATION

Brush-on.

### CURING

Initial set: 45 - 60 minutes depending on temperatures.

### THICKNESS

Minimum thickness at application: 0.8 - 1mm as a slush coat. Maximum thickness at application: 5mm as filler mixed to a paste consistency.

### PACKAGING

5 & 20kg containers.

### COVERAGE

Approximately 10 - 15m<sup>2</sup> per 5kg container. Can vary depending on the porosity and texture of the surface.

### APPEARANCE / COLOUR(S)

Grey powder.



### BENEFITS

- No dilution required, but needs to be mixed with FlexBond
- Will ensure screed adheres to substrate



0860 CEMCRETE

info@cemcrete.co.za

www.cemcrete.co.za



## HEAD OFFICE

Showroom & Warehouse  
8 Telford Street  
Industria  
(011) 474 2415  
info@cemcrete.co.za

## GAUTENG

Johannesburg Showroom  
227 Jan Smuts Avenue  
Parktown North  
(011) 447 3149  
jsa@cemcrete.co.za

Centurion Showroom & Warehouse  
15 Coachmen's Park  
26 Jakaranda Street  
Centurion  
(012) 653 6808  
pretoria@cemcrete.co.za

## CAPE TOWN

Showroom & Warehouse  
Unit 3 Eagle Park  
cnr Bosmansdam & Omuramba Roads  
Montague Gardens  
(021) 555 1034  
cape@cemcrete.co.za

We have distributors both nationally and internationally. Contact us to locate your nearest retailer or contractor.

**CEMCRETE**<sup>®</sup>

Manufacturers of Distinctive Decorative Coatings

Creating distinctive cement finishes  
as *unique* as you are.