

ICEMCRETE®

Manufacturers of Distinctive Decorative Coatings



CEMPLASTER

Coloured fibre-reinforced plaster

Provides a tough, mottled, coloured exterior or interior plaster onto conventional wood floated or scratch plaster that is UV resistant.

BENEFITS

- Can be used for interior and exterior walls
- Can be imprinted with various textures
- Used to imitate off-shutter concrete look
- Durable & wears well over time

SPECIFICATIONS

Suitable surfaces	Conventional wood floated or scratch plaster wall
Finish	Smooth when trowelled-on or can be imprinted, brushed, scratched, sponged or sandstone finished
Thickness	4 - 5mm
Application	Trowel-on
Packaging	40kg bags
Coverage	Approximately 4 - 5m ² per 40kg bag
Curing	All plaster work to be cured by wetting with clean water 3 times on the day following the day of application Always spray from bottom to top to avoid water run marks Allow to dry for at least 3 days before sealing
Colour/s	Available in 11 colours

INTENDED FOR USE WITH

CemBond
Relevant sealers as required

TOOLS NEEDED


Mechanical mixer
Steel trowel
Paint brush or sponge
Mist sprayer

SUPPORTING CEMCRETE PRODUCTS

Imprinting mats & Release Agent - Pigmented (when imprinting)



CEMPLASTER | COLOUR RANGE



The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.

0860 CEMCRETE | info@cemcrete.co.za | www.cemcrete.co.za | [f](#) [i](#) [p](#) [in](#) [v](#)

We have distributors nationally as well as across many African countries and internationally. Contact us to locate your nearest retailer or contractor.



Cemplaster Pavillion Grey

The colours depicted are a guide only and Cemcrete recommend choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.

CEMPLASTER | USES



CemPlaster Milano
Milk vanities, walls
and shower

CemPlaster Pavillion Grey
off-shutter effect



The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.

CemPlaster Pavillion Grey wall
imprinted with stone texture