



**ICEMCRETE**

Manufacturers of Distinctive Decorative Coatings

# CRETECOTE

---

Thin skim-on floor coating

A coloured, thin film cement-based floor covering which is versatile and durable. It is a two coat system which produces a 1.6mm smooth decorative finish ideal for internal domestic renovations. Comes complete with powder and catalyst as a twin-pack.

## BENEFITS

- Thin skim-on coating perfect for renovations
- Interior use only
- Application with a steel trowel
- Versatile application – can be used to coat counters & vanities
- Reaches a compressive strength of 35MPa after 28 days (this is solely dependent on the substrate)

## SPECIFICATIONS

Suitable surfaces	Wood or steel floated concrete floor slabs or screeds (interior only) New surfaces should be allowed to cure for at least 28 days Tiles - as long as the necessary preparation steps are followed to ensure adhesion. Refer to coating over tiles datasheet
Finish	Smooth
Thickness	1.6mm (maximum 0.8mm per coat – 2 coat application)
Application	Sponge & trowel-on
Packaging	15kg twin-pack container
Coverage	8 - 10m <sup>2</sup> per 15kg container
Curing	The completed work should be allowed to air cure for 24 hours after application, before mist spraying the entire floor evenly at least twice during the day thereafter Thereafter leave approximately 48 hours before sealing The moisture in the floor must be less than 5% prior to sealing
Colour/s	Available in 11 colours




## INTENDED FOR USE WITH

Concrete Primer  
CreteSeal Water-Based

YouTube [tiny.cc/cretecote](https://tiny.cc/cretecote)



# CRETECOTE | COLOUR RANGE



*Did you know*

CreteCote is a micro coating and was created to provide the look and feel of concrete, but at a fraction of the cost and weight of real concrete.

# CRETECOTE | USES

CreteCote Shale coated pebble shaped coffee table & floor



CreteCote Grey coated kitchen counters & CreteCote White floors

CreteCote in a custom colour coated floors & built-in seating



CreteCote Nickel Grey with tile inlay

The colours depicted are a guide only and Cemcrete recommends choosing colours from an actual on-site sample. Different sealing methods might also affect the final colour.