

ICEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings



RENOCRETE

Versatile textured wall overlay

RenoCrete is a pre-coloured spray or trowelled-on cement-based polymer modified two-part resurfacing system. RenoCrete beautifies existing surfaces while achieving good compressive, tensile and flexural strength.

BENEFITS

- RenoCrete is a thin, cement-based decorative plaster available in multiple finishes, from smooth trowelled to sprayed-on and knock-down
- Interior and exterior use
- UV stable
- Can be applied onto wood floated plaster, polystyrene or Nutec board coated with Cemcrete's EIFS BaseCoat system

SPECIFICATIONS

| | |
|-------------------|--|
| Suitable surfaces | Wood floated plaster, fibre cement board, new dry walling and polystyrene coated with Cemcrete's EIFS BaseCoat |
| Finish | Spray-on Smooth trowelled Knock-down |
| Thickness | 2 - 3mm |
| Application | Spray-on with a hopper gun or steel trowelled |
| Packaging | 20kg bag |
| Coverage | Approximately 3 - 5m ² per 20kg bag |
| Curing | In hot dry conditions cure completed work by mist spraying with water 3 times the following day |

INTENDED FOR USE WITH

CemBond
Relevant sealer(s) as required

NOTE: Some colours may be made to order, please enquire on stock availability when placing your order.



0860 CEMCRETE | info@cemcrete.co.za | www.cemcrete.co.za | [f](#) [i](#) [p](#) [in](#) [yt](#)

We have distributors nationally as well as across many African countries and internationally. Contact us to locate your nearest retailer or contractor.

RENOCRETE | COLOURS

