

ICEMCRETE[®]

Manufacturers of Distinctive Decorative Coatings



STIPPLECRETE

Direct to concrete and brick coating

StippleCrete provides an exceptionally long-lasting, weatherproof, economic coating for fairface brick-work or concrete in one coat.

BENEFITS

- Exterior and interior use
- Integrally coloured to eliminate painting
- Low-cost weatherproofing
- Decorating of affordable housing
- Plaster and colour all-in-one

SPECIFICATIONS

Suitable surfaces	Flush brickwork or blockwork, off-shutter concrete and scratched cement plaster – walls & ceilings
Finish	Textured
Thickness	Min application thickness: 1mm Max application thickness: 2mm
Application	Brush-on
Packaging	40kg bags (minimum of 300 bags per order)
Coverage	Approximately 14 - 18m ² per 40kg bag, depending on the coarseness of the texture and suction Less coverage will be obtained on ceilings
Curing	Cure by wetting all completed work 3 times daily with clean water following the day of application to ensure hardness and durability
Colour/s	Available in 8 colours

INTENDED FOR USE WITH

CemBond 1, 5 & 20 litre containers - 8m² / litres for 2 coats (not on cement brick or block otherwise the mortar joints grin through. Mix just with water but follow the shade and protect from the sun

TOOLS NEEDED

Block-brush
Soft carpet brush
Broom

SUPPORTING CEMCRETE PRODUCTS

Relevant sealer/s as required



STIPPLECRETE | COLOUR RANGE

